

# PRODUCT CATALOGUE

# POPU

Wiring Accessories

**Hangzhou popu electrical co.,ltd**

**Address: no.58 chunjian industrial area, fuyang, hangzhou, china**

**Manager: lean.sun tel: 008618657136170 wechat: 18657136170**


**[www.popuelectrical.com](http://www.popuelectrical.com) [popuelectrical@163.com](mailto:popuelectrical@163.com)**





# WIRING ACCESSORIES

INCLUDING SWITCHES, SOCKETS, USB TECHNOLOGY, GRID OPTIONS AND MORE

Complying with British Safety Standards and offering a robust 25-year warranty, the range is among the most extensive on the market. Our selection offers a dependable and adaptable choice for any wiring requirement.



Screwless



- ANTHRACITE
- BRUSHED CHROME
- BLACK NICKEL
- MATT BLACK
- MATT WHITE
- POLISHED BRASS
- POLISHED CHROME
- SMOKED BRONZE
- ANTIQUE BRASS
- PEARL
- BRUSHED BRASS

Certain finishes may not be accessible across all ranges. Please refer to the specific range to verify the available finishes.

## MOULDED THERMOSET RESIN



SQUARE EDGE



CURVED EDGE

Hangzhou Popu Electrical Co.,Ltd

Address: No 58, Chunjian Industrial Area, Fuyang, Hangzhou City, Zhejiang province, China

Manager: Lean.Sun Tel: 0086 18657136170 Wechat: 18657136170

## What we do ?

1. White square range switches and sockets
2. White curved range switches and sockets
3. Metal clad range switches and sockets
4. Decorative range switches and sockets
5. Screwless range switches and sockets
6. Euro module
7. Grid switch
8. Weatherproof
9. Ceiling accessories
10. Pattress box, dry lining box, junction box





UK CA CE RoHS COMPLIANT


# White Soft Edge Range

## Traditional design

Heat resistant Urea front plates, 3.0mm Thickness, Slim curved Plate 9mm Height.

Aesthetic Curved Edge round corner rockers with Red "ON" Printing.

Grey laser printing



Round Corners Fixing screw caps for clean appearance

Neon Fixed on the plate perfectly


3 Pins Shutter System, designed to inhibit access to electricity supply

Brand Name Can be Moulded on the back of plate

Terminal Marking Moulded on the Back Cover

Every corners is including Reinforcement

Copper Terminals and Zinc Plating 1.0mm thick Earth Bar



Dual Earth Terminals

Flexible cable outlet version, knockout outlet at the bottom,



Screws and screw caps can be fixed on the back of

### WHITE SOFT EDGES & ROUND CORNERS

- Urea white moulded, curve plate with round corners, supplied with curve rocker(s) with round corners, completed with fixing screws and screw caps. Ideal for contemporary home use.
- Perfect engineering design, allow all ribs on the back of front cover with slope angles where the ribs connect to front plate, reduce the possibility of sink marks on the front;
- Comprehensive full range of products, plus flexible cable out version products for spurs and 20A DP switch, which offers better choice for customers;
- High quality heat resistant urea moulded, white colour, 3mm front plate wall thickness to comply with BS standard;
- Regular Brown colour back cover, colour is able to be customized;
- WEEE Symbol is marked on the back cover, or the reverse of face plate for all necessary products;
- Grey laser printing to be applied on the faceplate, to avoid fading away;
- Flexible outlet version is available for 20A DP Switches and Spurs, Knockable outlet on the bottom, suitable for 2.5mm<sup>2</sup> flexible cable;
- One Gang sizes: 86mm x 86mm x 9mm, with fixing center 60.3mm.  
Two gangs sizes: 146mm x 86mm x 9mm, with fixing center 120.6mm.  
All products in this range are with same sizes and profile for unified appearance.
- Supplied with accessories bag, includes two 30mm M3.5 fixing screws and 2 pieces of Secew Caps;
- Products are suitable for 25mm flush or 29mm surface mounting boxes, except for Dual Voltage Shaver Socket. Shaver socket suitable for 45mm flush or 47mm surface mounting boxes.
- All products, except for Pattress Box, are packed in individual poly bag to ensure that products remain clean and undamaged right up until the point of installation;
- Regularly supplied with an accessories bag, which is sealing with 2 fixing screws, and 2 screw caps, to avoid the fixing accessories scratching the product during transportation;
- Products are matching relevant British Standard and we promised quality for all supplied products





# White Soft Edge Range

## Traditional design

### 10 Amp Wall Switches

ITEM NO.	PRODUCT DESCRIPTIONS
S301	10 Amp 1 Gang 1 Way Switch
S302	10 Amp 1 Gang 2 Way Switch
S303	10 Amp 2 Gang 1 Way Switch
S304	10 Amp 2 Gang 2 Way Switch
S305	10 Amp 3 Gang 1 Way Switch
S306	10 Amp 3 Gang 2 Way Switch
S307	10 Amp 4 Gang 1 Way Switch 3X6 Long Plate
S308	10 Amp 4 Gang 2 Way Switch 3X6 Long Plate
S309	10 Amp 6 Gang 1 Way Switch 3X6 Long Plate
S310	10 Amp 6 Gang 2 Way Switch 3X6 Long Plate
S315	10 Amp 1 Gang 1W Retractive Switch
S315PR	10 Amp 1 Gang Retractive Switch, Print "PRESS"
S315BE	10 Amp 1 Gang 1 Way Retractive Switch, Printed BELL SYMBOL
S316	10 Amp 1 Gang 2 Way Retractive Switch
S316PR	10 Amp 1 Gang 2 Way Retractive Switch, Printed "PRESS"
S316BE	10 Amp 1 Gang 2 Way Retractive Switch, Printed BELL SYMBOL
S317	10A 1G 1W Retractive Switch W/ Neon
S318	10A 1G 2W Retractive Switch W/ Neon
S312	10A 1 Gang Double Pole Switch
S313	10 Amp Intermediate Switch
S314	2 Gang 10 Amp Intermediate Switch
S323	10 Amp 1 Gang Double Pole Key Switch
S340	10 Amp 1 Gang 2 Way Architrave Switch
S340BE	10A 1G 2W Retractive Architrave Switch, Print "BELL"
T340PR	10A 1G 2W Retractive Architrave Switch, Print "PRESS"
S341	10A 2 Gang 2 Way Architrave Switch
S336	10 Amp Triple Pole Switch
S337	10 Amp Triple Pole Fan Isolated Switch

#### Product Features:

- Products are complied with relevant BS standard, all products were tested by qualified 3rd party;
- Sharing the same structure and back cover as T range, details please

### 20 Amp DP Switches

ITEM NO.	PRODUCT DESCRIPTIONS
S325	20 Amp Double Pole Switch
S325F	20 Amp Double Pole Switch with Flexible Outlet
S325/WH	20 Amp Double Pole Switch Print "Water Heater"
S325/AC	20 Amp Double Pole Switch Print "Air Condition"
S325F/WH	20A DP Switch W/Flex. Outlet Print "Water Heater"
S325F/AC	20A DP Switch W/Flex. Outlet Print "Air Condition"
S324	20 Amp Double Pole Switch With Neon
S324F	20 Amp DP Switch with Flexible Outlet W/Neon
S324/WH	20A DP Switch With Neon Print "Water Heater"
S324/AC	20A DP Switch With Neon Print "Air Condition"
S324F/WH	20A DP Switch with Flexible Outlet With Neon, Print "Water Heater"
S324F/AC	20A DP Switch with Flexible Outlet With Neon, Print "Air Condition"
S326	20 Amp Dual Immersion Heater Switch
S820	20 Amp Connection Plate
S820F	20 Amp Connection Plate with Flexible Outlet



### 32 Amp DP Switches

#### ITEM NO. PRODUCT DESCRIPTIONS

S335	32 Amp Double Pole Switch
S334	32 Amp Double Pole Switch With Neon
S335F	32A Double Pole Switch, C/W Flexible Outlet
S334F	32A DP Switch With Neon, Flexible Outlet

#### Product Features:

- White colour rocker is available;
- Bottom knockable flexible outlet, allow 2.5mm<sup>2</sup> flexible cable go

### 45A DP Switches, 45A Cooker

#### ITEM NO. PRODUCT DESCRIPTIONS

S328	45 Amp Double Pole Switch
S327	45 Amp Double Pole Switch With Neon
S330	45 Amp Double Pole Switch Tall Plate
S329	45 Amp Double Pole Switch Tall Plate With Neon
S332	45 Amp Double Pole Switch+13A Switched Socket
S331	45 Amp DP Switch+13A Switched Socket W/Neon
S821	45 Amp Cooker Cable Outlet
S327-50	50 Amp Double Pole Switch With Neon
S329-50	50 Amp Double Pole Switch Tall Plate With Neon

#### Product Features:

- Supplied with Red rockers, but white rockers are available for the option by client;
- Grey laser printing for cleaner look and avoid fading away;
- Products are complied with relevant British Standard, and tested by qualified 3rd party;
- Concealed fitting for 45A Cooker Outlet(S821), big capacity, knockout on the bottom for outgoing cable.

### Fused Connection Units

#### ITEM NO. PRODUCT DESCRIPTIONS

S416	13 Amp Fused Connection Unit
S413	13 Amp Fused Connection Unit, With Neon
S422	13 Amp DP Switched Fused Connection Unit
S419	13 Amp Fused Unit Double Pole With Neon
S416F	13A Fused Connection Unit, W/Flex. Outlet
S413F	13A Fused Spur, W/Flex. Outlet & Neon
S422F	13A DP Switched Fused Unit, W/Flex. Outlet
S419F	13A DP Switched Fused Unit, W/Flex. Out & Neon

#### Product Features:

- Big captive Fuse Cabine with marking;
- Flexible outlet version is including knockable outlet on the bottom, and allows to enter 2.5mm<sup>2</sup> Flexible cable;
- Normally supplied with 13A fuse inside, 3 amp fuse version is available;
- Big lead-ins terminals, and C/W 2 earth terminals;
- Products are complied with relevant British Standard, and tested by qualified 3rd party;



### 13 Amp Socket Outlets

ITEM NO.	PRODUCT DESCRIPTIONS
S403	1 Gang 13 Amp Unswitched Socket
S405	1 Gang 13 Amp Switched Socket Single Pole
S409	1 Gang 13 Amp Switched Socket Double Pole
S407	1G 13A Switched Socket Single Pole W/Neon
S411	1G 13A Switched Socket Double Pole W/Neon
S404	2 Gang 13 Amp Unswitched Socket
S406	2 Gang 13 Amp Switched Socket Single Pole
S410	2 Gang Double Pole Switched 13 Amp Socket
S408	2G 13A Single Pole Switched Socket W/Neon
S412	2G 13A Double Pole Switched Socket W/Neon
S410LR	2 Gang Double Pole Switched 13 Amp Socket

**Product Features:**

- Earth Pin Operation System for all sockets;
- 2 Gang Socket Outlets are supplied with Dual Earth;
- Complied with BS1363 standard, updated to Latest BS Standard BS1363:2018;

### USB Socket, Type A Ports

ITEM NO.	PRODUCT DESCRIPTIONS
S405-2U	1 Gang 13 Amp Switched Socket
2.4A	2 x A Type USB, 5V 2.4A Shared in 2 ports
S406-2U	2 Gang 13 Amp Switched Socket
3.1A	2 x A Type USB, 5V 3.1A Shared in 2 ports
S405-AC	1 Gang 13 Amp Switched Socket
2.4A	A + C Type USB, 5V 2.4A Shared in 2 ports
S406-AC	2 Gang 13 Amp Switched Socket
3.1A	A + C Type USB, 5V 3.1A Shared in 2 ports
S405-U	1 Gang 13 Amp Switched Socket
2.4A	1 x A Type USB, 5V 2.4A Shared in 1 ports
S405-C	1 Gang 13 Amp Switched Socket
2.4A	1 x C Type USB, 5V 2.4A Shared in 1 ports
S406-2C	2 Gang 13 Amp Switched Socket
3.1A	2 x C Type USB, 5V 3.1A Shared in 2 ports

**Product Features:**


- Output Shared in 2 ports;
- Overcurrent protected;
- 2G socket suitable for 25mm wall box;
- Products are complied with relevant British Standards, products were tested by qualified 3rd party.
- We also have 4.8A, fast charge USB.

### Surge Protection Sockets

ITEM NO.	PRODUCT DESCRIPTIONS
T406RCD	2 Gang 13A Switched Socket Single Pole, C/W RCD Protection Function, None Latching

**Product Features:**

- A Type RCD, Non-Latching and Latching types are available;
- 30mA trip speed 40mS;





# White Soft Edge Range

Traditional design

## Blank Plates And Shaver Socket

ITEM NO.	PRODUCT DESCRIPTIONS
S401	1 Gang Blank Plate
S402	2 Gang Blank Plate
S458	Dual Voltage Shaver Socket
S459	Dual Voltage Shaver Socket, With Neon

Product Features:

\*\* Blank plates:

- Urea moulded, complied with BS5733.

\*\* Shaver Socket:

- Complied with standard BS3535, 20VA @ 230V and 115V;

- Competible Transformer allow to fit into 47mm Pattress Box.

## Round Pins Socket Outlets

ITEM NO.	PRODUCT DESCRIPTIONS
S455	1 Gang 2 Amp Round Pin Unswitched Socket
S426	1 Gang 5 Amp Round Pin Unswitched Socket
S428	1 Gang 5 Amp Round Pin Switched Socket
S430	1G 5 Amp Round Pin Switched Socket W/Neon
S425	1G 15A Round Pin Unswitched Socket, Single Pole
S429	1G 15A Round Pin Unswitched Socket, Double Pole
S427	1G 15A Round Pin Unswitched Socket SP, W/Neon
S431	1G 15A Round Pin Unswitched Socket DP, W/Neon
S450	2 Gang 15 Amp Double Pole Switched Socket

## Euro Media Easy Clip Plate

ITEM NO.	PRODUCT DESCRIPTIONS
SEP1	1 Gang One Module Media Plate
SEP2	1 Gang Two Module Media Plate
SEP4	2 Gang Four Module Media Plate


Product Features:

- Accept 25 x 50mm standard module, Two Module and Four Module products are both accepting 50 x 50mm module;

- Ideal for creating bespoke 20A DP SWITCH/20A Intermediate SWITCH/ TV/ DATA/ SATLLITE/ HDMI/ USB/ TEL installations;

## TV and Satellite Socket Outlets

ITEM NO.	PRODUCT DESCRIPTIONS
S432	1 Gang TV/Coaxial Socket NON-Isolated
S434	1 Gang TV/Coaxial Socket Isolated
S433	2 Gang TV/Coaxial Socket NON-Isolated
S435	2 Gang TV/Coaxial Socket Isolated
S436	1 Gang TV/Coaxial Socket Isolated+Branch
S437	2 Gang TV/Coaxial Socket Isolated+Branch
S469	1 Gang Satellite Socket
S468	Satellite Socket+TV Socket
S470	2 Gang Satellite Socket





# White Soft Edge Range

Traditional design

## Telephone and Data Sockets

ITEM NO.	PRODUCT DESCRIPTIONS
S438	1 Gang TEL Socket Secondary
S439	1 Gang TEL Socket Master
S440	2 Gang TEL Socket Secondary
S441	2 Gang TEL Socket Master
S442RJ11	1 Gang TEL Socket American/A, RJ11
S442RJ45	1 Gang RJ45 Data Socket, 8 Terminal
T442RJ45	1 Gang RJ45 Data Socket, CAT. 6 -CAT6
S443RJ11	2 Gang TEL Socket American/A, RJ11
S443RJ45	2 Gang RJ45 Data Socket, 8 Terminal
T443RJ45	2 Gang RJ45 Data Socket, CAT. 6 -CAT 6
S453	1 Gang TEL Socket American/B
S454	2 Gang TEL Socket American/B

## Dimmer Switches

ITEM NO.	PRODUCT DESCRIPTIONS
S350/400	1 Gang 1 Way 400W Dimmer
S351/400	2 Gang 1 Way 400W Dimmer
S352/400	3 Gang 1 Way 400W Dimmer 3X6
S353/400	4 Gang 1 Way 400W Dimmer 3X6
S354/400	1 Gang 2 Way 400W Dimmer
S355/400	2 Gang 2 Way 400W Dimmer
S356/400	3 Gang 2 Way 400W Dimmer 3X6
S357/400	4 Gang 2 Way 400W Dimmer 3X6
S350/1000	1 Gang 1 Way 1000W Dimmer

### Product Features:

- Rotary on/off for 1 way product, and push on/off dimmers for 2 way products;
- 250W, 500W products are available;
- In compliance with relevant British Standard;

## Round Corners Pattress Boxes

ITEM NO.	PRODUCT DESCRIPTIONS
S342	1G 16mm Architrave Pattress Box
S805	16MM 1 Gang Pattress Box
S806	25MM 1 Gang Pattress Box
S807	35MM 1 Gang Pattress Box
S808	25MM 2X 1Gang Pattress Box
S809	47MM 1 Gang Pattress Box
S343	2G 16mm Architrave Pattress Box
S810	25MM 2 Gang Pattress Box
S811	35MM 2 Gang Pattress Box
S812	47MM 2 Gang Pattress Box, Double Cord Grid

### Product Features:

- Profile to match soft Ranges;
- Items S342 and S343 are matching with our Architrave 2 Way Switches, fixing center distances are different from other Pattress boxes, 1G fixing center distance is 64.3mm, and 2G fixing center distance is 124.3mm.
- Products are complied with relevant BS standard and tested by qualified 3rd party.





# White Soft Edge Range

Traditional design

## LED Dimmer Switch

ITEM NO. PRODUCT DESCRIPTIONS

S350L	1 Gang 1 Way 100W LED Dimmer
S351L	2 Gang 1 Way 100W LED Dimmer
S352L	3 Gang 1 Way 100W LED Dimmer 3X6
S353L	4 Gang 1 Way 100W LED Dimmer 3X6
S354L	1 Gang 2 Way 100W LED Dimmer
S355L	2 Gang 2 Way 100W LED Dimmer
S356L	3 Gang 2 Way 100W LED Dimmer 3X6
S357L	4 Gang 2 Way 100W LED Dimmer 3X6
S354/150	1 Gang 2 Way 150W LED Dimmer
S355/150	2 Gang 2 Way 150W LED Dimmer
S356/150	3 Gang 2 Way 150W LED Dimmer 3X6
S357/150	4 Gang 2 Way 150W LED Dimmer 3X6

## Multi-functional Socket

ITEM NO. PRODUCT DESCRIPTIONS

1 gang 13A multi-functional switched socket
2 gang 13A multi-functional switched socket
1 gang 13A multi-functional switched socket + neon
2 gang 13A multi-functional switched socket + neon
1 gang 16A multi-functional socket
2 gang 16A multi-functional socket
16A 1 gang socket + 20A sp switch
1 gang 13A multi-functional switched socket & A+C USB 5V 2.4A
1 gang 13A switched socket + 16A multi-functional socket + neon

This multi-functional socket range is popular in Middle east countries and some African countries.









UK  
CA  
CE  
RoHS  
COMPLIANT





# White Soft Edge Range

Traditional design

## Customized Type

All plastic products have different colors, like red, black, grey and so on, you can choose the color you want.





### TRADITIONAL WHITE SQUARE CORNERS RANGE

- Improved traditional style, square edges, combination of superb quality and exceptional value, timeless design is suitable for both domestic and commercial use, with or without screw caps;
- Comprehensive full range of products offers good choice for customers;
- High quality heat resistant urea moulded, white colour;
- Regular Brown colour back cover, colour is able to be customized;
- Grey laser printing to be applied on the faceplate, to avoid from fading away;
- Completed with two fixing screws, and Screw Caps available;
- One Gang sizes: 86mm x 86mm x 11mm, with fixing center 60.3mm.  
Two gangs sizes: 146mm x 86mm x 11mm, with fixing center 120.6mm.  
All products in this range are with same sizes for unified appearance.
- 3mm front plate wall thickness to comply with BS standard;
- Wide Rocker for operation, and terminal has large leads;
- WEEE Symbol is marked on the back cover, or the reverse of face plate for all necessary products;
- Can be customized Brand Name and Product Code on the reverse of the faceplate;
- Products are suitable for 25mm flush or 29mm surface mounting boxes.  
45A products are suitable for minimum 35mm flush or 37mm surface mounting boxes.  
Dual Voltage Shaver Socket is suitable for 45mm flush or 47mm surface mounting boxes;
- All products, except for Pattern Box, are packed in individual poly bag to ensure that products remain clean and undamaged right up until the point of installation;
- As an Intertek Certified ISO 9001 accredited manufacturer, products are matching relevant British Standard and we promised quality for all supplied products;



# White Square Range

Traditional design


## 10A Wall Switches

### ITEM NO. PRODUCT DESCRIPTIONS

T301	10 Amp 1 Gang 1 Way Switch
T302	10 Amp 1 Gang 2 Way Switch
T303	10 Amp 2 Gang 1 Way Switch
T304	10 Amp 2 Gang 2 Way Switch
T305	10 Amp 3 Gang 1 Way Switch
T306	10 Amp 3 Gang 2 Way Switch
T307	10 Amp 4 Gang 1 Way Switch 3X6 Long Plate
T308	10 Amp 4 Gang 2 Way Switch 3X6 Long Plate
T309	10 Amp 6 Gang 1 Way Switch 3X6 Long Plate
T310	10 Amp 6 Gang 2 Way Switch 3X6 Long Plate
T315	10 Amp 1 Gang 1W Retractive Switch
T315PR	10 Amp 1 Gang Retractive Switch, Print"PRESS"
T315BE	10 Amp 1 Gang 1 Way Retractive Switch, Printed BELL SYMBOL
T316	10 Amp 1 Gang 2 Way Retractive Switch
T316PR	10 Amp 1 Gang 2 Way Retractive Switch, Printed "PRESS"
T316BE	10 Amp 1 Gang 2 Way Retractive Switch, Printed BELL SYMBOL
T317	10A 1G 1W Retractive Switch W/ Neon
T318	10A 1G 2W Retractive Switch W/ Neon
T312	10A 1 Gang Double Pole Switch
T313	10 Amp Intermediate Switch
T314	2 Gang 10 Amp Intermediate Switch
T323	10 Amp 1 Gang Double Pole Key Switch
T340	10 Amp 1 Gang 2 Way Architrave Switch
T340BE	10A 1G 2W Retractive Architrave Switch, Print"BELL"
T340PR	10A 1G 2W Retractive Architrave Switch, Print"PRESS"
T341	10A 2 Gang 2 Way Architrave Switch
T336	10 Amp Triple Pole Switch
T337	10 Amp Triple Pole Fan Isolated Switch

### Product Features:

- Products are complied with relevant BS standard, all products were tested by qualified 3rd party;
- All 10A Wall Switches, except for Triple Pole products, are supplied with Interchangeable Modular Design, allowed on site flexible.
- Switch module back cover have brown, grey, black color



## 20A DP Switches, 20A Connection Plate

### ITEM NO. PRODUCT DESCRIPTIONS

T325	20 Amp Double Pole Switch
T325/WH	20 Amp Double Pole Water Heater Switch
T325/AC	20 Amp Double Pole Air Condition Switch
T324	20 Amp Double Pole Switch With Neon
T324/WH	20 Amp DP Water Heater Switch With Neon
T324/AC	20 Amp DP Air Condition Switch With Neon
T326	20 Amp Dual Immersion Heater Switch with Neon
T820	20 Amp Connection Plate

#### Product Features:

- Cable Clamp supplied, expect for item T326. Product is suitable for 2.5mm<sup>2</sup> flexible cable;
- Products are complied with relevant British Standard, and tested by qualified 3rd party.

## 32A DP Switches

### ITEM NO. PRODUCT DESCRIPTIONS

T335	32 Amp Double Pole Switch
T334	32 Amp Double Pole Switch With Neon

#### Product Features:

- Completed with cable clamp;
- White colour rocker is available;


## 45 Amp DP Switches, Cooker Panels and 45 Amp Connection Plate

### ITEM NO. PRODUCT DESCRIPTIONS

T328	45 Amp Double Pole Switch
T327	45 Amp Double Pole Switch With Neon
T330	45 Amp Double Pole Switch Tall Plate
T329	45 Amp DP SwitchH W/Neon Vertical Plate
T332	45 Amp Double Pole Switch+13 Amp Socket
T331	45 Amp DP Switch+13A Socket W/Neon
T821	45 Amp Cooker Cable Outlet
T327-50	50 Amp Double Pole Switch With Neon
T329-50	50 Amp DP Switch W/Neon Vertical Plate

#### Product Features:

- Square and vertical versions are available;
- Regular Red rockers, but white rockers are available for the option by client;
- Grey laser printing for cleaner look and avoid fading away;
- Products are complied with relevant British Standard, and tested by qualified 3rd party;
- Concealed fitting for 45A Cooker Outlet(T821), big capacity, knockout on the bottom for outgoing cable.



## Fused Connection Units

### ITEM NO. PRODUCT DESCRIPTIONS

T416	13 Amp Fused Connection Unit
T413	13 Amp Fused Unit, With Neon
T422	13 Amp Fused Unit Double Pole Switch
T419	13 Amp Fused Unit Double Pole With Neon

#### Product Features:

- 13A Fuse fitted as standard, 3 amp version is available;
- Captive Fuse Carrier for easy change inside fuse;
- Big lead-ins terminals, and C/W 2 earth terminals;
- Products are complied with relevant British Standard, and tested by qualified 3rd party;

## 13 Amp Wall Socket Outlets

### ITEM NO. PRODUCT DESCRIPTIONS

T403	1 Gang 13 Amp Unswitched Socket
T404	2 Gang 13 Amp Unswitched Socket
T405	1 Gang 13 Amp Switched Socket Single Pole
T409	1 Gang 13 Amp Switched Socket Double Pole
T407	1G 13A Switched Socket Single Pole W/Neon
T411	1G 13A Switched Socket Double Pole W/Neon
T406	2 Gang 13 Amp Switched Socket Single Pole
T410	2 Gang Double Pole Switched 13 Amp Socket
T408	2G 13A Switched Socket Single Pole, W/Neon
T412	2G 13A Switched Socket Double Pole, W/Neon

#### Product Features:

- 13A, 250V, with 4X2.5mm<sup>2</sup> Terminal Capacity;
- Earth Pin Operation System for Sockets, designed to inhibit access to electricity supply unless Shutter operated by Earth Pin;
- Dual Earth for 2 Gang Sockets;
- mass production, to increase competitiveness for client;
- Complied with BS1363 standard, updated to Latest BS Standard BS1363:2018;


## USB Socket, Type A USB Ports

### ITEM NO. PRODUCT DESCRIPTIONS

T405-2U 2.4A	1 Gang 13 Amp Switched Socket 2 x A Type USB, 5V 2.4A Shared in 2 ports
T406-2U 3.1A	2 Gang 13 Amp Switched Socket 2 x A Type USB, 5V 3.1A Shared in 2 ports
T406-AC 3.1A	2 Gang 13 Amp Switched Socket A+ c Type USB, 5V 3.1A Shared in 2 ports
T405-1U 2.4A	1 Gang 13 Amp Switched Socket 1 x A Type USB, 5V 2.4A Shared in 1 ports
T405-1C 2.4A	1 Gang 13 Amp Switched Socket 1 x C Type USB, 5V 2.4A Shared in 1 ports
T406-2 3.1AC	2 Gang 13 Amp Switched Socket 2 x C Type USB, 5V 3.1A Shared in 2 ports

#### Product Features:

- Including 2 x A-type USB Slots, DC 5V with total output 3.1A;
- Output Shared in 2 ports by intellegent chip to detect the devices for both ports;
- Overcurrent protected;
- Dual earth terminals;
- 2G socket suitable for 25mm wall box;
- Products are complied with relevant British Standards, BS 1363-2, Low voltage directive and EMC directive, products were tested by qualified 3rd party;



## Surge Protection Socket

### ITEM NO. PRODUCT DESCRIPTIONS

T406SP	2 Gang 13A Switched Socket Single Pole, C/W Surge Protection Function
T410SP	2 Gang 13A Switched Socket Double Pole, C/W Surge Protection Function

#### Product Features:

- Clamping circuit surge protection mode to protect against voltage spikes and surges, withstanding surge current 2500A;
- Maximum clamping voltage: 775V(10A), impulse waveform: 8/20us;
- Dual earth terminals;
- Suitable for 25mm wall box;
- Products are complied with relevant BS standard and tested by

## RCD Socket

### ITEM NO. PRODUCT DESCRIPTIONS

T406RCD	2 Gang 13A Switched Socket Single Pole, C/W RCD Protection Function, None Latching
T406RCD-	2 Gang 13A Switched Socket Single Pole, Latching C/W RCD Protection Function, Latching

#### Product Features:

- A Type RCD to protect from both DC and AC leakage;
- Non-Latching and Latching types are available;
- 30mA trip speed 40ms;
- Manufactured to BS 7288:2016;

## Blank Plate & Shaver Socket

### ITEM NO. PRODUCT DESCRIPTIONS

T401	1 Gang Blank Plate
T402	2 Gang Blank Plate
T458	Dual Voltage Shaver Socket
T459	Dual Voltage Shaver Socket, With Neon

#### Product Features:

##### \*\* Blank plates:

- Urea moulded, complied with BS5733.

##### \*\* Shaver Socket:

- Complied with standard BS3535, 20VA @ 230V and 115V;
- Competible Transformer allow to fit into 47mm Pattress Box.


## Round Pin Socket Outlets

### ITEM NO. PRODUCT DESCRIPTIONS

T455	1 Gang 2 Amp Round Pin Unswitched Socket
T426	1 Gang 5 Amp Round Pin Unswitched Socket
T428	1 Gang 5 Amp Round Pin Switched Socket
T430	1G 5 Amp Round Pin Switched Socket W/Neon
T425	1G 15A Round Pin Unswitched Socket, Single Pole
T429	1G 15A Round Pin Unswitched Socket, Double Pole
T427	1G 15A Round Pin Unswitched Socket SP, W/Neon
T431	1G 15A Round Pin Unswitched Socket DP, W/Neon
T450	2 Gang 15 Amp Double Pole Switched Socket



T406SP & T410SP



T401




T402



T458




T459




T455




T426



T425 & T429



T427 & T431



T450

## Euro Media Easy Clip Plate

### ITEM NO. PRODUCT DESCRIPTIONS

TEP1	1 Gang One Module Media Plate
TEP2	1 Gang Two Module Media Plate
TEP4	2 Gang Four Module Media Plate

#### Product Features:

- Accept 25 x 50mm standard module, Two Module and Four Module products are both accepting 50 x 50mm module;
- Ideal for creating bespoke 20A DP SWITCH/20A Intermediate SWITCH/ TV/ DATA/ SATELLITE/ HDMI/ USB/ TEL installations;

## TV and Satellite Sockets


### ITEM NO. PRODUCT DESCRIPTIONS

T432	1 Gang TV/Coaxial Socket NON-Isolated
T434	1 Gang TV/Coaxial Socket Isolated
T433	2 G TV/Coaxial Socket NON-Isolated
T435	2 Gang TV/Coaxial Socket Isolated
T436	1 Gang TV/Coaxial SC Isolated+Branch
T437	2 Gang TV/Coaxial SC Isolated+Branch
T469	1 Gang Satellite Socket
T468	Satellite Socket+TV Socket
T470	2 Gang Satellite Socket

## Telephone And Data Sockets

### ITEM NO. PRODUCT DESCRIPTIONS

T438	1 Gang TEL Socket Secondary
T439	1 Gang TEL Socket Master
T440	2 Gang TEL Socket Secondary
T441	2 Gang TEL Socket Master
T442RJ11	1 Gang TEL Socket AMERICAN/A RJ11
T443RJ11	2 Gang TEL Socket AMERICAN/A RJ11
T442RJ45	1 Gang RJ45 Data Socket, CAT. 5E
T443RJ45	2 Gang RJ45 Data Socket, CAT. 5E
T442RJ45	1 Gang RJ45 Data Socket, CAT. 6
-CAT6	
T443RJ45	2 Gang RJ45 Data Socket, CAT. 6
-CAT 6	
T453	1 Gang TEL Socket AMERICAN/B RJ11
T454	2 Gang TEL Socket AMERICAN/B RJ11




### Dimmer Switches

#### ITEM NO. PRODUCT DESCRIPTIONS

T350	1 Gang 1 Way 250W Dimmer
T351	2 Gang 1 Way 250W Dimmer
T352	3 Gang 1 Way 250W Dimmer 3X6
T353	4 Gang 1 Way 250W Dimmer 3X6
T354	1 Gang 2 Way 250W Dimmer
T355	2 Gang 2 Way 250W Dimmer
T356	3 Gang 2 Way 250W Dimmer 3X6
T357	4 Gang 2 Way 250W Dimmer 3X6
T350/400	1 Gang 1 Way 400W Dimmer
T351/400	2 Gang 1 Way 400W Dimmer
T352/400	3 Gang 1 Way 400W Dimmer 3X6
T353/400	4 Gang 1 Way 400W Dimmer 3X6
T354/400	1 Gang 2 Way 400W Dimmer
T355/400	2 Gang 2 Way 400W Dimmer
T356/400	3 Gang 2 Way 400W Dimmer 3X6
T357/400	4 Gang 2 Way 400W Dimmer 3X6
T350/500	1 Gang 1 Way 500W Dimmer
T351/500	2 Gang 1 Way 500W Dimmer
T352/500	3 Gang 1 Way 500W Dimmer 3X6
T353/500	4 Gang 1 Way 500W Dimmer 3X6
T354/500	1 Gang 2 Way 500W Dimmer
T355/500	2 Gang 2 Way 500W Dimmer
T356/500	3 Gang 2 Way 500W Dimmer 3X6
T357/500	4 Gang 2 Way 500W Dimmer 3X6
T350/1000	1 Gang 1 Way 1000W Dimmer

#### Product Features:

- Rotary on/off for 1 way product, and push on/off dimmers for 2 way products;
- In compliance with relevant British Standard;



### Urea Pattress Boxes

#### ITEM NO. PRODUCTS DESCRIPTIONS

T342	1G 16mm Archtrave Pattress Box, W/ E
T343	2G 16mm Archtrave Pattress Box, W/ E
T805	16MM 1 Gang Pattress Box, W/ E
T806	25MM 1 Gang Pattress Box
T810	25MM 2 Gang Pattress Box
T807	35MM 1 Gang Pattress Box, W/ E
T811	35MM 2 Gang Pattress Box, W/ E
T809	47MM 1 Gang Pattress Box, W/ E
T812	47MM 2 Gang Pattress Box, W/ E
T808	25MM 2X 1Gang Pattress Box, W/E

#### Prdocut Features:

- \*\* One Gang with Fixing Center distance 60.3mm, 2 Gang Fixing Center distance 120.3mm;
- \*\* 25mm Deep products are supplied without earth terminal, but for other items, are all supplied with earth terminal;
- \*\* Items T342 and T343 are matching with our Archtrave 2 Way Switches, fixing center distances are different from other Pattress boxes, 1G fixing center distance is 64.3mm, and 2G fixing center distance is 124.3mm.

## 100W 150W LED Dimmer Switches

ITEM NO. PRODUCT DESCRIPTIONS

T350L	1 Gang 1 Way 100W LED Dimmer
T351L	2 Gang 1 Way 100W LED Dimmer
T352L	3 Gang 1 Way 100W LED Dimmer 3X6
T353L	4 Gang 1 Way 100W LED Dimmer 3X6
T354L	1 Gang 2 Way 100W LED Dimmer
T355L	2 Gang 2 Way 100W LED Dimmer
T356L	3 Gang 2 Way 100W LED Dimmer 3X6
T357L	4 Gang 2 Way 100W LED Dimmer 3X6
T354L/150	1 Gang 2 Way 150W LED Dimmer
T355L/150	2 Gang 2 Way 150W LED Dimmer
T356L/150	3 Gang 2 Way 150W LED Dimmer 3X6
T357L/150	4 Gang 2 Way 150W LED Dimmer 3X6

**Product Features:**

- Rotary on/off for 1 way product, and push on/off dimmers for 2 way products;
- In compliance with relevant British Standard;



## Multi-functional Socket

ITEM NO. PRODUCT DESCRIPTIONS

1 Gang 13A Multi-functional Switched Socket + Neon

2 Gang 13A Multi-functional Switched Socket + Neon

## Floor Box Socket

ITEM NO. PRODUCT DESCRIPTIONS

1 gang 13A single pole switched socket insert

1 gang 13A double pole switched socket insert

2 gang 13A single pole switched socket insert

2 gang 13A double pole switched socket insert

1 gang 13A unswitched socket insert

2 gang 13A unswitched socket insert

1 gang 15A switched socket insert

2 gang 15A double pole switched socket insert





UK  
CA CE RoHS  
COMPLIANT


# Metal Clad Range

Traditional design

Specifically Design Back Box to ensure neat and exact fit

Urea Moulded insertion Plate, C/with Urea Moulded Curve rocker(s)

Metallic Powder Paint RAL. 7040, highly corrosion and scratch Resistant



Both matt finish and glossy finish available

Improvement Design to reduce plastic exposed on the plate to increase impact resistant

Supplied with 2 pcs 16mm Long M35 fixing screws

Box is deep drawn by an whole piece steel, without welding

Regular 40mm height back boxes, 50mm height back boxes are available

Regular 20mm Knockout, 25mm knockouts can be customized



Integral Earth Terminal, Capacity: 2x2.5mm<sup>2</sup>

Switch Back Box Knockouts:  
- 1 Gang with 5 x Ø 20mm;  
- 2 Gang with 7 x Ø 20mm.  
Customized knockout sizes and quantity is acceptable.

## Metal Clad

- Made from heavy gauges steel sheet as material and the front plate is coated with two layers tough paint finish, products are impact resistant, will maintain its good looks through years of hard labour;
- Comprehensive full range of products offers good choice for customers;
- 1.2mm Thickness steel plate as front plate material;
- High quality heat resistant urea moulded inserts, both white colour and black colour available;
- Regular Grey colour, both Matt and Glossy finishes available;
- Red or customized colours will be workable;
- Mounted Neon lens;
- Completed with matching metal clad surface mounting back box, and two x 16mm length fixing screws;
- Regular brown colour back cover which is the same as white moulded range, colour for back cover can be customized;
- One Gang sizes: One Gang: 80x 80x 42mm, with fixing center 60.3mm.  
Two gangs sizes: 140mm x 80mm x 42mm, with fixing center 120.6mm.  
All products in this range are with same sizes for appearance.
- Curve Rocker, and terminal has large leadins;
- WEEE Symbol is marked on the back cover, or the reverse of face plate for all necessary products;
- Can be customized Brand Name and Product Code on the reverse of the faceplate;
- All products, are packed in individual poly bag to ensure that products remain clean and undamaged right up until the point of installation;
- As an Intertek Certified ISO 9001 accredited manufacturer, products are matching relevant British Standard and we promised quality for all supplied products;



# Metal Clad Range

Traditional design

## 10 Amp Wall Switches

ITEM NO.	PRODUCT DESCRIPTIONS
MC301	10A 1 Gang 1 Way Switch Metal Clad
MC302	10A 1 Gang 2 Way Switch Metal Clad
MC303	10A 2 Gang 1 Way Switch Metal Clad
MC304	10A 2 Gang 2 Way Switch Metal Clad
MC305	10A 3 Gang 1 Way Switch Metal Clad
MC306	10A 3 Gang 2 Way Switch Metal Clad
MC307	10A 4 Gang 1 Way Switch Metal Clad
MC308	10A 4 Gang 2 Way Switch Metal Clad
MC309	10A 6 Gang 1 Way Switch Metal Clad
MC310	10A 6 Gang 2 Way Switch Metal Clad
MC315	10A 1G 1W Retractive Switch Metal Clad
MC315PR	10A 1G Retractive Switch, Print"BELL", Metal Clad
MC315BE	10 Amp 1 Gang 1 Way Retractive Switch With Neon, Printed BELL SYMBOL
MC316	10 Amp 1 Gang 2 Way Retractive Switch
MC316PR	10 Amp 1 Gang 2 Way Retractive Switch, Printed "PRESS"
MC316BE	10 Amp 1 Gang 2 Way Retractive Switch With Neon, Printed BELL SYMBOL
MC317	10A 1G 1W Retractive Switch W/ Neon
MC318	10A 1G 2W Retractive Switch W/ Neon
MC312	10A 1 Gang Double Pole Switch
MC313	10 Amp Intermediate Switch
MC313-2	2 Gang 10 Amp Intermediate Switch
MC323	10 Amp 1 Gang Double Pole Key Switch
MC336	10 Amp Triple Pole Switch
MC337	10 Amp Triple Pole Fan Isolated Switch

### Product Features:

- Conforms to BS EN60669-1;
- Module Design allow on site flexible, curve rocker;

## 20 Amp Double Pole Switches

ITEM NO.	PRODUCTS DESCRIPTIONS
MC325	20A Double Pole Switch Metal Clad
MC325F	20A DP Switch With Flex Outlet Metal Clad
MC324	20A Double Pole Switch W/Neon Metal Clad
MC324F	20A DP Switch W/N & Flex Outlet Metal Clad

### Product Features:

- Conforms to BS EN60669-1;
- 20Amp 250V a.c with terminal capacity up to 4 x 2.5mm<sup>2</sup>;
- Double pole switching, curve rocker,
- Mounted neon lens;
- Flexible outlet version available;



MC301 & MC302  
MC313



MC303 & MC304  
MC313-2



MC305 & MC306



MC307 & MC308



MC309 & MC310



MC315BE & MC316BE



MC325



MC325F



MC324



MC324F



# Metal Clad Range

Traditional design

## 45 Amp DP Switches and Cooker

ITEM NO.	PRODUCTS DESCRIPTIONS
MC327	1 Gang 45A DP Switch Metal Clad
MC328	1G 45A DP Switch, W/Neon Metal Clad
MC330	1G 45A DP Switch, Tall Plate Metal Clad
MC329	1 Gang 45 Amp Double Pole Switch, Tall Plate with Neon Metal Clad
MC332	Cooker Unit ,45 Amp Double Pole Switch+ 13 Amp Socket Metal Clad
MC331	Cooker Unit With Neon,45A DP Switch + 13A Socket With Neon Metal Clad

### Product Features:

- 45A, 250V, with 3x1.5mm<sup>2</sup> Terminal Capacity;
- Curve rocker, double pole switching ;
- Regular red rocker, white rocker is available;
- Big Terminal Capacity: 1x 16mm<sup>2</sup>;
- 50mm deep switch boxes are available, allow easier wiring;



MC330



MC327



MC329



MC332



MC331

## 13 Amp Fused Connection Units

ITEM NO.	PRODUCT DESCRIPTIONS
MC416	13A Fused Connection Unit Metal Clad
MC413	13A Fused Connection Unit W/Neon Metal Clad
MC422	13A DP Switched Fused Unit Metal Clad
MC419	13A DP Switched Fused UNIT W/Neon Metal Clad
MC416F	13A Fused Connection Unit W/Flex Out Metal Clad
MC413F	13A Fused Connection Unit , With Flex. Outlet, W/Neon, W/Box
MC422F	13A DP Switched Fused Unit Flex Outlet Metal Clad
MC419F	13A DP Switched Fused Unit,with NEON and Flex Outlet, Metal Clad

### Product Features:

- Conforms to BS EN1363, 13AX 250V a.c., IP2XD;
- Both regular version and Flex outlet version are available;
- Curve rocker, double pole switching;
- Big lead-ins terminals, and C/W 2 earth terminals;
- Captive big fuse cabine, regularly completed with 13A fuse;
- 3A fuse version available;



MC416



MC413



MC422



MC419



MC422F



MC419F

### 13 Amp Socket Outlets

ITEM NO.	PRODUCTS DESCRIPTIONS
MC403	1G 13A Unswitched Socket Metal Clad
MC404	2G 13A Unswitched Socket Metal Clad
MC405	1G 13A Switched Socket, SP Metal Clad
MC409	1G 13A Switched Socket, DP, Metal Clad
MC407	1G 13A Switched Socket, SP, W/ N, Metal Clad
MC411	1G 13A Switched Socket, DP, W/ N, Metal Clad
MC406	2G 13A Switched Socket, SP, Metal Clad
MC410	2G 13A Switched Socket, DP, Metal Clad
MC412	2G 13 A Switched Socket, DP, W/ N, Metal Clad

#### Product Features:

- Conforms to BS EN1363, 13AX 250V a.c., IP2XD;
- 3-PINS "Child Resistant Shutter System" for all sockets;
- Improved style to reduce plastic on the plate, curve rocker(s);
- Mouted neon lens;
- Other details vide White moulded ranges.



MC403



MC404



MC405 & MC409



MC406 & MC410



MC407 & MC411



MC408 & MC412



MC405-2U2.1A



MC406-2U3.1A & MC410-2U3.1A

### USB Socket Outlets

ITEM NO.	PRODUCTS DESCRIPTIONS
MC405-1U 2.1A	1G 13 Amp Switched Socket 1 x A-Type USB, 5V 2.1A Shared in 1 ports Metal Clad
MC405-2U 2.4A	1G 13 Amp Switched Socket 2 x A Type USB, 5V 2.4A Shared in 2 ports Metal Clad
MC406-2U 3.1A	2G 13 Amp Switched Socket 2 x A Type USB, 5V 3.1A Shared in 2 ports Metal Clad
MC406-AC 3.1A	2G 13 Amp Switched Socket A + C Type USB, 5V 3.1A Shared in 2 ports Metal Clad
MC406-2C 3.1A	2G 13 Amp Switched Socket 2 x C Type USB, 5V 3.1A Shared in 2 ports Metal Clad

### Surge Protection Socket

ITEM NO.	PRODUCTS DESCRIPTIONS
MC406SP	2 Gang 13A Switched Socket Single Pole, C/W Surge Protection Function
MC410SP	2 Gang 13A Switched Socket Double Pole, C/W Surge Protection Function



MC406SP  
MC410SP

### 2 Gang RCD Socket

ITEM NO.	PRODUCTS DESCRIPTIONS
MC406RCD	2 Gang 13A Switched Socket Single Pole, C/W RCD Protection Function, None Latching
MC406RCD-Latching	2 Gang 13A Switched Socket Single Pole, C/W RCD Protection Function, Latching



MC406RCD  
MC406RCD-Latching

### Blank Plates

ITEM NO.	PRODUCT DESCRIPTIONS
----------	----------------------

MC401	1 Gang Blank Plate Metal Clad
-------	-------------------------------

MC402	2 Gang Blank Plate Metal Clad
-------	-------------------------------

**Product Features:**

- Complied with BS5733;
- Including Earth Bar and Earth terminal;



MC401



MC402

### Metal Clad Switch Boxes

ITEM NO.	PRODUCT DESCRIPTIONS
----------	----------------------

MC831	40MM 1G Switch Back Box Metal Clad
-------	------------------------------------

MC832	40MM 2G Switch Back Box Metal Clad
-------	------------------------------------

**Product Features:**

- Wall mounted switch boxes, supplied with other products as part of componets;
- Deep draw structure, regular 40mm deep for both boxes;
- 50mm deep boxes are available;
- Including all 20mm knockouts, 1g box with 5 knockouts, 2g box with 7 knockouts;
- Knockout quantity and sizes can be customized.



MC831



MC832

### EURO Media Easy Clip Plate

ITEM NO.	PRODUCT DESCRIPTIONS
----------	----------------------

MCEP1	1 Gang One Module Media Plate Metal Clad
-------	--

MCEP2	1 Gang Two Module Media Plate Metal Clad
-------	--

MCEP4	2 Gang Four Module Media Plate Metal Clad
-------	---

**Product Features:**

- Including Earth Bar and Earth terminal;
- Dual earth terminals;
- Complete with Urea easy clip frame.



MCEP1



MCEP4



MCEP2



MCEP4

### 2A, 5A and 15A Socket Outlets

ITEM NO.	PRODUCT DESCRIPTIONS
----------	----------------------

MC455	1 Gang 2 Amp Round Pin Unswitched Socket
-------	--

MC426	1 Gang 5 Amp Round Pin Unswitched Socket
-------	--

MC428	1 Gang 5 Amp Round Pin Switched Socket
-------	--

MC430	1G 5 Amp Round Pin Switched Socket W/Neon
-------	---

MC425	1G 15A Round Pin switched Socket, Single Pole
-------	---

MC429	1G 15A Round Pin switched Socket, Double Pole
-------	---

MC427	1G 15A Round Pin switched Socket SP, W/Neon
-------	---

MC431	1G 15A Round Pin switched Socket DP, W/Neon
-------	---

MC450	2 Gang 15 Amp Double Pole Switched Socket
-------	---



MC426



MC425 & MC429

## TV and Satellite Sockets

ITEM NO.	PRODUCT DESCRIPTIONS
T432	1 Gang TV/Coaxial Socket NON-Isolated
T434	1 Gang TV/Coaxial Socket Isolated
T433	2 G TV/Coaxial Socket NON-Isolated
T435	2 Gang TV/Coaxial Socket Isolated
T436	1 Gang TV/Coaxial SC Isolated+Branch
T437	2 Gang TV/Coaxial SC Isolated+Branch
T469	1 Gang Satellite Socket
T468	Satellite Socket+TV Socket
T470	2 Gang Satellite Socket



MC432 & MC434



MC469



## Telephone and Data Sockets

T438	1 Gang TEL Socket Secondary
T439	1 Gang TEL Socket Master
T440	2 Gang TEL Socket Secondary
T441	2 Gang TEL Socket Master
T442RJ11	1 Gang TEL Socket AMERICAN/A RJ11
T443RJ11	2 Gang TEL Socket AMERICAN/A RJ11
T442RJ45	1 Gang RJ45 Data Socket, CAT. 5E
T443RJ45	2 Gang RJ45 Data Socket, CAT. 5E
T442RJ45	1 Gang RJ45 Data Socket, CAT. 6
-CAT6	
T443RJ45	2 Gang RJ45 Data Socket, CAT. 6
-CAT 6	



MC438 & MC439

All products, we also have white and black color metal clad



White



Black

## Pull Cord Switches

### ITEM NO. PRODUCT DESCRIPTIONS

CS11	10 Amp 1 Way Pull Switch
CS12	10 Amp 2 Way Pull Switch
CS45	45 Amp Double Pole Pull Switch With Neon Square plate
CS50	50 Amp Double Pole Pull Switch With Neon Square plate
S45	45 Amp Double Pole Pull Switch With Neon curved plate
S50	50 Amp Double Pole Pull Switch With Neon curved plate

#### Product Features:

- \*\* **10 Amp Pull Cord Switches**  
Ceiling mounted, cord operated light switch,  
With 1.5m pull cord;
- \*\* **45 Amp Pull Cord Switch**  
Flush Type, cord operated light switch with Neon.  
1.5m pull cord;
- \*\* **50 Amp Pull Cord Switch**  
Flush Type, cord operated light switch with Neon.  
1.5m pull cord;



## Ceiling Rose, Lampholder and Pendant Sets

### ITEM NO. PRODUCT DESCRIPTIONS

CRO	6 Amp Ceiling Rose, 8 Terminals
B22LH	T2 heat resistant lampholder
PS6	Pendant Set, 6" flex cable, T2, short skirt
PS9	Pendant Set, 9" flex cable, T2, short skirt
PS6E27	Pendant Set, 6" inch E27
PS9E27	Pendant Set, 9" inch E27
E27LH	E27 lampholder
B22LHH	T2 heat resistant lampholder, home skirt

#### Product Features:

- \*\* **Ceiling Rose:**
  - Surface Mounting Type Ceiling Rose, 250V & 6A,
  - Sizes: Dia.86 x 33mm,
  - Heat Resistant Urea Cover with Clear base incorporates 3 in line terminals and an enlarge earth terminal. Eight Tunnel Type terminals all with terminal screws.
  - Terminal capacity 2x1.5mm<sup>2</sup>;
- \*\* **Lamp Holders:**
  - Metal Ring T2 rate heat resistant lampholder, suitable for lamps up to 1000W, 3 terminals short skirt B22
  - bayonet version, Terminal Capacity 2 x 1.5mm<sup>2</sup>;
- \*\* **Pendant Set:**
  - 0.75mm pendant flex heat resistant conform to BS EN60598.
  - Cable Clip available to prevent the cable from being pulled out of Ceiling Rose during real practice.



## Batten Lampholder without Base

### ITEM NO. PRODUCT DESCRIPTIONS

BL01	Batten Lamp Holder, Long Skirt, 3 terminals
BL02	Batten Lamp Holder, Home Skirt, 3 terminals
BL03	45° Angled Batten, Long Skirt, 3 terminals
BL04	45° Angled Batten, Home Skirt, 3 terminals
BL01E27	E27 Lamp Holder, Long Skirt, 3 terminals
BL02E27	E27 Lamp Holder, Home Skirt, 3 terminals
BL03E27	45° Angled E27, Long Skirt, 3 terminals
BL04E27	45° Angled E27, Home Skirt, 3 terminals

#### Product Features:

- Base Dia.72mm, with fixing centre 50.8mm;
- 3 Terminals type lampholder;
- Terminal capacity 2 x 1.5mm<sup>2</sup>;
- E27 version available.



## Batten Lampholder with Ceiling Base

### ITEM NO. PRODUCT DESCRIPTIONS

BL11	Batten Lamp Holder, Long Skirt With Base
BL12	Batten Lamp Holder, Home Skirt With Base
BL13	45° Angled Batten Lamp Holder, Long Skirt With Base
BL14	45° Angled Batten Lamp Holder, Home Skirt With Base
BL11E27	E27 Batten Lamp Holder, Long Skirt With Base
BL12E27	E27 Batten Lamp Holder, Home Skirt With Base
BL13E27	45° Angled E27 Lampholder, Long Skirt With Base
BL14E27	45° Angled E27 Lampholder, Home Skirt With Base

#### Product Features:

- Enclosed Base, Base Dia.85mm, base cover can be removed without removing skirt;
- Clear Polycarbonate base, with 8 tunnel type terminals, and an enlarged earth terminal (vide item CRO);
- 3 Terminals type lampholder, terminal capacity 2x 1.5mm<sup>2</sup>;
- E27 version available.





# Dry Lining Box and PVC Boxes

## Dry Lining Boxes

ITEM NO.	PRODUCTS DESCRIPTIONS
DB13	1G Dry Lining Box 35MM Deep
DB14	2G Dry Lining Box 35MM Deep
DBR	1G Round Dry Lining 35MM Deep
DB13+1	2X1G Dry Lining Box 35MM Deep
DB14+1	2G+1G Dry Lining Box 35MM Deep
DB16	1G Dry Lining Box 47MM Deep
DB17	2G Dry Lining Box 47MM Deep
DB18	Rapid-fit Fire Detector Dry Liner Mounting Box


### Product Features:

- PVC dry lining box with adjustable lugs;
- Regular yellow lugs, red, blue and different colour lugs are available;
- For mounting wiring accessories in plaster board 'dry lining' walls;
- DBR is including 2 knockouts, suitable for ceiling accessories and smoke alarm;

### - Dimensions:

- \*\* 1 Gang Boxes Cut Out: 72mm x 72mm, Flange : 82mm x 82mm. Lugs adjustable range for DB13 is 4-22mm, Lugs adjustable range for DB16 is 4-34mm.
- \*\* 2 Gang Boxes Cut Out: 72mm x 132mm, Flange: 82mm x 142mm. Lugs adjustable range for DB14 is 4-22mm, Lugs adjustable range for DB16 is 4-34mm.
- \*\* DBR round box Cut Out: 64mm, Flange: 78mm, Lugs adjustable range is 4-22mm.
- \*\* DB13+1, Cut Out: 155 x 72mm, Flange: 169 x 82mm, Lugs adjustable range is 4-22mm.
- \*\* DB14+1, Box Sizes: 215 x 72mm, Flange: 229 x 82mm, Lugs adjustable range is 4-22mm.

- Boxes are including cable entries with automatic style cord grips. 1 gang and 2 gang boxes are including 2 cord grips. Dual boxes are including 6 cord grips, each gang has 3 cord grips.
- RoHS compliance;



## 35mm Wall Mounted Boxes

ITEM NO.	PRODUCTS DESCRIPTIONS
T713	35mm 1G Surface Plastic Box, C/W 2x20MM and 1x 16mm Mini Trunking Knockouts
T714	35mm 2G Surface Plastic Box, C/W 2x20MM and 1x 16mm Mini Trunking Knockouts
S713	35mm 1G Surface Plastic Box, C/W 2x20MM and 1x 16mm Mini Trunking Knockouts
S714	35mm 1G Surface Plastic Box, C/W 2x20MM and 1x 16mm Mini Trunking Knockouts

### Product Features:

- PVC wall mounted box;
- T713 and T714 are supplied with right angle corners to matching T range profile. S713 and S74 are supplied with round corners to matching S range profile;
- Supplied with 2x 20mm knockouts and 1x16mm mini trunking knock;
- 1 Gang Boxes: 86mm x 86mm, 35mm height.
- 2 Gang Boxes : 86mm x 146mm, 35mm height.
- Complied with BS 5733, product are tested by qualified



T713



T714



S713



S714



UK  
CA CE RoHS  
COMPLIANT

# Junction Boxes

## Knockout Entry Junction Boxes

### ITEM NO. PRODUCTS DESCRIPTIONS

JK204W	20A 4 Terminal White, $\Phi 58\text{mm} \times 28\text{mm}$
JK204B	20A 4 Terminal Brown, $\Phi 58\text{mm} \times 28\text{mm}$

#### Product Features:

- Urea material, white and brown colour available;
- Small and obtrusive, suitable for downlight apertures;
- Robust, generous capacity slot terminals with large grub screws, terminal capacity:  $2 \times 1.5\text{mm}^2$ ;
- Knockout entry, 20A rate with 4 pillar terminals;
- Complied with EN 60670, products are tested by qualified 3rd party.


## Selective Entry Junction Boxes

### ITEM NO. PRODUCTS DESCRIPTIONS

JS54W	5A 4 Terminals White, $\Phi 62\text{mm} \times 24\text{mm}$
JS54B	5A 4 Terminals Brown, $\Phi 62\text{mm} \times 24\text{mm}$
JS204LW	20A 4 Terminals White, $\Phi 80\text{mm} \times 30\text{mm}$
JS204LB	20A 4 Terminals Brown, $\Phi 80\text{mm} \times 30\text{mm}$
JS206W	20A 6 Terminals White, $\Phi 86\text{mm} \times 30\text{mm}$
JS206B	20A 6 Terminals Brown, $\Phi 86\text{mm} \times 30\text{mm}$
JS303W	30A 3 Terminals White, $\Phi 90\text{mm} \times 37\text{mm}$
JS303B	30A 3 Terminals Brown, $\Phi 90\text{mm} \times 37\text{mm}$

#### Product Features:

- Urea material, white and brown colour available;
- Selective entries indicated by numbers on the cover;
- Low lip of entries, allow to be knocked out easily to take twin cables,
- Rear entry knockouts in the base to allow ease of wiring;
- Pillar type terminations,
- Robust, generous capacity slot terminals with flat head large screws.
- Complied with EN 60670, products are tested by qualified 3rd party.



JK204W & JK204B

JS54W & JS54B

JS204LW & JS204LB

JS303W & JS204LB



UK  
CA CE RoHS  
COMPLIANT

# Junction Boxes

## Junction Boxes

ITEM NO. PRODUCTS DESCRIPTIONS

60A Junction Box 3-Terminal - White

60A Junction Box 3-Terminal - Brown

60A rated, white or brown color

3-way

Max. 25mm<sup>2</sup> cable

Built in cable strain reliefs

Heavy Duty Urea constructed outer casing

Certified to BS EN 60670



## Link Box Junction Boxes

ITEM NO. PRODUCTS DESCRIPTIONS

100ASP 100A 1 x 5-Way (Single Pole) Service Connector Block - Brass Terminals

100ADP 100A 2 x 5-Way (Double Pole) Service Connector Block - Brass Terminals

100A 250V

Brass Terminals

Black phenolic urea construction

Easy knockout entries


Certified to EN 60670



## GALVANISED STEEL BOXES

- Galvanized steel construction 1mm thickness (+/- 1%)
- One fixed mounting lug and one adjustable mounting lug (except architrave and dual boxes)
- Cable knockouts on all sides (except architrave and 16mm boxes)


Model	Qty
27mm Architrave + Earth Terminal	20
16mm 1G + Earth Terminal	20
25mm 1G + Earth Terminal	10
35mm 1G + Earth Terminal	10
47mm 1G + Earth Terminal	10
47mm 1G + 2G + Earth Terminal	5
25mm 2G + Earth Terminal	5
35mm 2G + Earth Terminal	5
47mm 2G + Earth Terminal	5
35mm Dual + Earth Terminal	5
47mm 4 x 2G + Earth Terminals	1 <b>NEW</b>
35mm Triple + Earth Terminal	5
35mm 1G + 2G + Earth Terminal	5
47mm 2 x 2G + Earth Terminals	1 <b>NEW</b>



## EXTENSION BOXES

- Used to extend standard flush wall boxes that have been sunk in too deep


Model	Qty
25mm Single	10
25mm Double	5



## GRID BACK BOXES

- For use with 6, 8, 9 and 12G grid faceplates

Model	Qty
35mm 6-8G + Earth Terminals	1
35mm 9-12G + Earth Terminals	1



# POPU

**Committed to  
a sunny future**



**Hangzhou Popu Electrical Co.,ltd**

**Manager: Lean.sun**

**popuelectrical@163.com**